FIRST A	1. DATE 20020910						
(AFMCI 64-110, AFMCI 23-102 and F.	1	Additional Inst		20020910			
2. P/R/MIPR NUMBER	3. PART NUMBER 4. NSN LS35090C08B0596 53			5342-00-139-0678			
5. FIRST ARTICLE QUANTITY THE FIRST ARTICLE IS 2	UNIT(S) OF LOT/IT	EM					
AND WILL BE: PART OF PRODUCTION Q	YTITNAL	X IN AD	DITION TO PRODUCTION	QUANTITY			
6. ARTICLES		7. LONG LEAD	TIME ITEMS				
WILL WILL NOT SERVE AS A STANDARD	REQUIRED   NOT REQUIRED     NOT REQUIRED						
8. SPECIAL REQUIREMENT/PRODUCTION FACILITIES REQUIRED "The First Article offered must be manufactured component not manufactured by the contractor the contract. A certification to this effect must	ed at the facilities in which t	NOT hat item is to be nanufactured at t	the facilities in which the c				
	docompany doct mot ration						
9. TEST/INSPECTION REQUIREMENTS		F. FIRST ARTICLE DELIVERY:  (1) Due within120 calendar days from date contract.					
A. CONTRACTOR TESTING X GOVERN	IMENT TESTING						
Performance or other characteristics which the F	irst Articles must meet						
are		(2) Notify 10 calendar days prior to shipment.					
			elivered to government at Section 12 for comp	lete address			
B. The detailed technical requirements for First Arti	cle approval tests are		Section 12 for comp	rete address.			
contained in			/Sat Forth Co	onsignee and Address)			
(O'1) O 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.1	(4) (	Government written notice	of approval/disapproval withir 60			
(Cite Spec and Para numbe	7	•	days after receipt of first ar	rticle package.			
C. TEST PLAN REQUIRED		G. Fatian					
(1) DD Form 1423 ELIN		ł .	sted cost of dovernment te \$500.00	sting/inspection evaluation.			
(3) Number of days for government approval		' '	\$300.00				
days.		i					
D. Contractor's notification to ACO and							
·	equesting Activity)						
of test time and location due days	prior to start of testing.						
E. TEST REPORT REQUIRED							
(1) DD Form 1423 ELIN							
(2) Due calendar days from date	of contract.						
(3) Forwarded to							
(4) Government written notice of approval/disa days after receipt of contractor's report.	pproval due						
10. DISPOSITION OF FIRST ARTICLES		Disa	pproved First Articles will t	be returned to the contractor/			
Approved First Articles will be forwarded to	0	dispe	will be retained byosition instructions from th	, -			
V 1				nated as direct shipments the			
Residual components of dispproved FirstA returned to the contractor/ will be re	· 🔽	follo		y. (NOTE: Always applicable on			
pending dispose the contractor.	sition instructions from		• •	be returned to the contractor for			
First Articles will be installed on aircra	ft/aquinment to determine		ment with production item.				
proper fit/function. Approved article			isposition of disapproved F narked above.	First Articles will remain the same			
aircraft/equipment and will not be forwa		"					
will be considered part of the contract qua	ntity.	Othe	er Disposition:				

11. CONDITI	ON(S) FOR WAIVER OF FIRST ARTICLE APPROVAL					
a. X	Offerors who have previously furnished production quant Government, DoD, Air Fore		me or similar article to tl	he prime contract	tor for delivery to the	
1	Offerors currently in production of the same or similar ar received First Article approval under the existing contract		Government,	DoD,	Air Forceontract and who h	nave
c. X	Offerors who have previously furnished production quant Air Force, provided articles thus furnished, have				Government,DoD, opinion of the Air Force.	
d. X	Provided not more than <u>36</u> months have elapsed	since completi	ion of the contract.			
e	First Article testing will not be waived.					
f	See Remarks in block 12 below.					
HAS E	TO BUYER: UNDER CONDITIONS A AND C ABOVE, EXHIBITED SATISFACTORY PERFORMANCE IN SERVICE TO SERVICE	CE AND PREPA That is, both wi	ARE AND RETAIN SUP	PPORTING DOCU ment for first artic	IMENTATION TO FULLY JUSTIFY cle approval) AND MUST FURNISH	,
Α.	PROCURING OFFICE B. CONTRACT NUMBER	C. DAT	E OF CONTRACT	D. SPECIFICATIO	ON NUMBER AND REVISION	
12. REMARK						
Special Ha 455 Byron	ral Receiving/DDWG-ER andling, First Article Unit St, Bldg 376 B GA 31098					
AND/OR APP	ANT ENG ORGANIZATION RESPONSIBLE FOR CONDUCT ROVING TEST (Name, Organization, Phone) andersall, WR-ALC/LAE, DSN 468-9156	ING	14. PR INITIATOR (Nan	ne, Organization,	Phone)	

## INSTRUCTIONS FOR COMPLETION OF FIRST ARTICLE TEST REQUIREMENTS (AFMC Form 260)

- BLOCKS 1 4 AND 14. WILL BE COMPLETED BY THE INITIATOR OF PURCHASE REQUEST.
- **BLOCKS 5 THRU 11, AND 13.** WILL BE COMPLETED BY THE ENGINEER AND/OR EQUIPMENT SPECIALIST. IF LOCAL PURCHASE, INITIATOR OF PURCHASE REQUEST SHALL COMPLETE.
- **BLOCKS 1 THRU 4.** SELF-EXPLANATORY
- **BLOCK 5.** INSERT QUANTITY OF FIRST ARTICLE TO BE TESTED. INDICATE WHETHER THE FIRST ARTICLE ITEM IS PART OF OR IN ADDITION TO THE PRODUCTION QUANTITY. (Normally the First Article in "Contractor Testing" are delivered (if not destroyed) with the production items.) PER FAR 9.301 FIRST ARTICLE MEANS PREPRODUCTION MODELS/SAMPLES, INITIAL PRODUCTION SAMPLES, TEST SAMPLES, FIRST LOTS, PILOT MODELS OR PILOT LOTS.
- **BLOCK 6.** INDICATE WHETHER OR NOT THE FIRST ARTICLE WILL SERVE AS A MANUFACTURING STANDARD. (FAR 9.306(h)).
- BLOCK 7. SEE FAR 52.209-3 OR -4, ALTERNATE II.
- BLOCK 8. SEE FAR 9.308
- **BLOCK 9.** MUST BE CHECKED TO INDICATE WHETHER THE CONTRACTOR OR THE GOVERNMENT IS TO PERFORM TESTING. (FAR 9.306)
  - A. THE SPECIFIC PARAGRAPH(S) OF THE SPECIFICATION MUST BE INCLUDED OR THE PARTICULAR REQUIREMENTS CITED.
  - B. THE SPECIFIC PARAGRAPH(S) OF THE SPECIFICATION MUST BE INCLUDED OR THE PARTICULAR REQUIREMENTS CITED.
  - C. THIS PARAGRAPH IS OPTIONAL AND IS REQUIRED ONLY WHEN A TEST PLAN IS REQUIRED. THE REQUIRED ENTRIES ARE SELF-EXPLANATORY.
  - D. THE "NUMBER OF DAYS" ENTRY SHOULD BE FAR ENOUGH IN ADVANCE OF THE TESTING TO PERMIT ANY GOVERNMENT REPRESENTATION AT THE TESTING SITE.
  - E. THIS PARAGRAPH IS SELF-EXPLANATORY. (NOTE: All dates must be realistic and include adequate production and administrative lead times.)
  - F. (1). THE DELIVERY DATE MUST BE REALISTIC AND INCLUDE ADEQUATE PRODUCTION AND ADMINISTRATIVE LEAD TIMES.
    - (2). THIS NOTIFICATION SHOULD BE NO LESS THAN TEN DAYS.
    - (3). ENTER ADDRESS WHERE FIRST ARTICLE IS TO BE DELIVERED FOR TESTING.
  - (4). THIRTY DAYS OR LONGER NOTIFICATION MUST BE CONSIDERED WHEN GOVERNMENT TESTING REQUIRES SPECIAL FIXTURE AND/OR AIRCRAFT.
  - G. THIS ESTIMATE SHOULD BE AS ACCURATE AS POSSIBLE AND INCLUDE GOVERNMENT LABOR COSTS FOR TESTS; TOOLS/TEST EQUIPMENT; GOVERNMENT TEST FACILITY USE; TDY COSTS, TRANSPORTATION OF FIRST ARTICLE TO TEST SITE; GOVERNMENT EVALUATION OF CONTRACTOR TEST REPORT; ETC.
- BLOCK 10. APPLIES TO GOVERNMENT TESTING. APPLIES TO CONTRACTOR TEST ONLY IF ITEMS ARE NOT SUBMITTED AS PRODUCTION UNITS, IN THESE CASES CITE DISPOSITION.
- BLOCK 11. SELF-EXPLANATORY. SIMILAR ARTICLES ARE THOSE WHICH, FOR PURPOSE OF MANUFACTURE, ARE SUBSTANTIALLY THE SAME AS THE ITEM BEING PURCHASED (For example, items that differ only in size or in place of operation (i.e., left vs right side of aircraft)).
- BLOCK 12. SELF-EXPLANATORY.
- BLOCK 13 AND 14. SELF-EXPLANATORY.

AFMC FORM 260, 19970501 PAGE 3

PAGE  $\underline{1}$  OF  $\underline{2}$ 

NSN# 5342-00-139-0678

## **GENERAL NOTES:**

1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, http://www.dodssp.daps.mil. 2. When a cancelled govt document is superseded by another document, the superseding document will be in effect unless otherwise specified. In the event there is no superseding document, offerors may submit, at their discretion, alternatives to the superseded or cancelled govt documents cited in the technical data package. Unless the alternative is specifically approvedby the govt, the superseded or cancelled document shall remain fully applicable. 3. As applicable, all contractor documents which reference qualification by the prime are changed to read "qualification by the govt".
DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.
THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.
THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.
IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.
THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.
THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-154, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN# 5342-00-139-0678 THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM. FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040. LIOUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III. WHERE SPECIFIED, CHEM MILLING IS MANDATORY. ☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES. DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1). AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN". LLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).